



# THINK BIGGER

**BEHOLD THE BEAUTY AND MAXIMIZE THE LIGHT FOR VISUAL IMPACT.**

Our Oversized Metal Shades, featuring the most advanced LED technology, are the quintessential brand element for any environment. Let us help you create maximum visual impact to enhance your brand experience.

Visit [ANPLighting.com/ThinkBigger](https://ANPLighting.com/ThinkBigger)

***ANP* Lighting**  
INNOVATIVE SITE LIGHTING

# OVERSIZED METAL SHADES

As big as your vision. As bold as your brand. Our Oversized Shades are designed to add maximum visual impact to shops, restaurants, hotels, and offices. Use these magnificent sizes, unexpected shapes, and creative finishes to design a lighting environment that's as unique as your brand.



**42"**  
OSAB42\_10



**38"**  
OSD638\_68



**20"**  
OSOC20\_78



**38"**  
OSUL38\_42



**22"**  
OSDD22\_50



**30"**  
OSD630\_41



**40"**  
OSNC40\_56

**30"**  
OSWD530\_67



**38"**  
OSDD38\_44

**24"**  
OSSD24\_69



**30"**  
OSSD30\_66

# Technical Specifications



## Construction

ANP Lighting RLM shades are constructed of heavy duty spun aluminum. Wall base, ballast and driver housings are cast aluminum. All fasteners are stainless steel. Our standard paint finish is a polyester powder coat, provides superior gloss, color retention and scratch resistance, and is suitable for indoor or outdoor applications. Inside of shade is a reflective white finish for all colors except the galvanized paint finish. Screw hardware is stainless steel and may not match fixture finish. Incandescent or fluorescent lamps not included.

## LED

ANP Lighting RLM fixtures are powered by Cree® LED modules. CRI is 90. 50,000 hours at L70. 0-10v or Triac dimming options available. GU24 base is available.

## Compact Fluorescent

Choose from 26w, 32w or 42w CFL options. Ballasts are electronic, 120/277 volt. Lamps not included.

## Certifications

Cord Mounts are UL listed for dry locations. Arm Mount, Stem Mount and Wall Mounts are UL listed for wet locations.

## Warranty

1-year limited warranty on the fixture, 5-year limited warranty on the LED module and driver.

## LED Modules



| LED Wattage | CCT   | Lumens | System Wattage | Efficacy Lumens/Watt |
|-------------|-------|--------|----------------|----------------------|
| 9w          | 2700K | 850    | 11w            | 97                   |
| 9w          | 3000K | 850    | 11w            | 97                   |
| 9w          | 3500K | 850    | 11w            | 97                   |
| 9w          | 4000K | 850    | 11w            | 97                   |
| 10w         | 2700K | 1250   | 12w            | 125                  |
| 10w         | 3000K | 1250   | 12w            | 125                  |
| 10w         | 3500K | 1250   | 12w            | 125                  |
| 10w         | 4000K | 1250   | 12w            | 125                  |
| 16w         | 2700K | 2000   | 19w            | 125                  |
| 16w         | 3000K | 2000   | 19w            | 125                  |
| 16w         | 3500K | 2000   | 19w            | 125                  |
| 16w         | 4000K | 2000   | 19w            | 125                  |
| 24w         | 2700K | 3000   | 28w            | 125                  |
| 24w         | 3000K | 3000   | 28w            | 125                  |
| 24w         | 3500K | 3000   | 28w            | 125                  |
| 24w         | 4000K | 3000   | 28w            | 125                  |
| 37w         | 2700K | 4000   | 43w            | 108                  |
| 37w         | 3000K | 4000   | 43w            | 108                  |
| 37w         | 3500K | 4000   | 43w            | 108                  |
| 37w         | 4000K | 4000   | 43w            | 108                  |

## LED Module with Integral Driver

| LED Wattage | CCT   | Lumens | System Wattage | Efficacy Lumens/Watt |
|-------------|-------|--------|----------------|----------------------|
| 12w         | 2700K | 750    | 12w            | 65                   |
| 12w         | 3000K | 750    | 12w            | 65                   |
| 12w         | 3500K | 750    | 12w            | 65                   |
| 12w         | 4000K | 750    | 12w            | 65                   |

## Finishes

Visit [anplighting.com/products/color-finishes](http://anplighting.com/products/color-finishes) for more details.



Marine grade finishes are available. Colors shown may differ slightly from painted color.



Contact Us: 800-548-3227 | 909-982-1807  
9044 Del Mar Avenue, Montclair, CA 91763

